



RIDUTTORI PER MOTORI A SCOPPIO 13-17,7-23 kW
GEARBOX FOR PETROL ENGINES 13-17.7-23 kW
1.904-903.0 – 1.904-904.0 – 1.904-905.0 – 1.904-905.0




CARATTERISTICHE TECNICHE / SPECIFICATIONS

Codice Riduttore <i>Part Number</i>	1.904-906.0	1.904-905.0	1.904-904.0	1.904-903.0
Potenza max motore <i>Max Engine Power</i>	13 kW (17.7 HP)	17,7 kW (24 HP)	17,7 kW (24 HP)	23 kW (31 HP)
Albero Motore <i>Engine Shaft</i>	25,4 mm (1")	25,4 mm (1")	28,6 mm (1 1/8")	28,6 mm (1 1/8")
Per Pompe Serie <i>For Pump Series</i>	NMT-NPM	NLTI-XLTI PXI-XXT	NLTI-XLTI PXI-XXT	PXI-XXT
Flangia Motore <i>Motor flange</i>	SAE J609b			
Albero Pompa <i>Pump Shaft</i>	24 mm			
Rapporto di riduzione <i>Gear Ratio</i>	2,176:1 (3150 / 1450 rpm)			
Olio Tipo <i>Lubrication Oil</i>	SAE 90			
Capacità Olio <i>Oil Capacity</i>	0,33 l (11 Oz.)			
Peso <i>Weight</i>	4 kg (1,82 lb)			


ROTAZIONE / ROTATION



INGOMBRI / OVERALL DIMENSION



ESPLOSO / EXPLODED VIEW



LISTA PARTI / PARTS LIST

Pos.	Codice Part Number	Descrizione	Description	Q.tà Q.ty	1.904-903.0	1.904-904.0	1.904-905.0	1.904-906.0
1	9.850-670.0	O-RING 3225 - Ø2,62x56,82 NBR 70	O-RING 3225 - Ø2.62x56.82 NBR 70	1	•	•	•	•
2	9.853-477.0	FLANGIA RIDUTTORE XLTI-PXI-XXT	GEARBOX FLANGE XLTI-PXI-XXT	1	•	•	•	•
	9.853-847.0	FLANGIA RIDUTTORE NMT-NPM	GEARBOX FLANGE NMT-NPM	1				•
3	9.853-270.0	O-RING 3450 - Ø2,62x113,97 NBR 70	O-RING 3450 - Ø2.62x113.97 NBR 70	1				
4	9.853-898.0	BONDED SEAL M8	BONDED SEAL M8	4				
5	9.851-482.0	VITE TCEI M8x30 UNI5931 12.9 GEOMET	STUD BOLT M8x30 GEOMET	4				
6	9.853-896.0	CORONA Z=37-20° Ø24	RING GEAR Z=37-20° DIA. 24 mm	1				
7	9.850-808.0	SPIA LIVELLO OLIO G 3/4	OIL SIGHT GLASS G 3/4	1				
8	9.851-188.0	BONDED SEAL G 3/8 AUTOCENTRANTE	BONDED SEAL G 3/8	1				
9	9.851-303.0	TAPPO OTTONE G 3/8	DRAINAGE PLUG G 3/8	1	•	•	•	•
10	9.851-152.0	ROSETTA SCHNORR 08	SPRING WASHER 08	4				
11	9.851-468.0	VITE TCEI M8x25 UNI5931 8.8 ZINCATA	STUD BOLT M8x25 ZINC PLATED	4				
12	9.853-899.0	ANELLO RADIALE Ø40x72x7 TIPO A (NBR)	PINION OIL SEAL DIA. 40x72x7	1				
13	9.853-901.0	SEEGER FORO Ø72 UNI 7437	SNAP RING DIA. 72 mm	1				
14	9.853-900.0	SEEGER ALBERO Ø40 UNI 7435	SNAP RING DIA. 40 mm	1				
15	9.853-902.0	CUSCINETTO A SFERE 6008 40x68x15	BALL BEARING 6008 DIA. 40x68x15	→	1	2	2	2
16	1.904-901.0	PIGNONE COMPLETO Ø1 1/8"	COMPLETE PINION DIA. 1 1/8"	1	•	•		
	1.904-902.0	PIGNONE COMPLETO Ø1"	COMPLETE PINION DIA. 1"	1			•	•
17	9.853-893.0	DISTANZIALE RIDUTTORE	SPACER	4				
18	9.853-892.0	CARTER RIDUTTORI 13-17,7-23 kW	GEARBOX CRANKCASE 13-17.7-23 kW	1				
19	9.850-839.0	ROSETTA EL.Ø10 SCHNORR	SPRING WASHER DIA. 10 mm	4				
20	9.851-132.0	ROSETTA FE Ø10x18x2 UNI1750	WASHER DIA. 10x18x2 mm	4				
21	9.851-510.0	VITE TE ANSI B 18.2.1 3/8x1"1/4 UNC	HEX SCREW ANSI B 18.2.1 3/8x1"1/4 UNC	4	•	•	•	•
22	9.851-294.0	TAPPO SFIATO OLIO G3/8 SPF 30-3/8+F	OIL PLUG G 3/8 SPF 30-3/8+F	1				
23	9.851-301.0	TAPPO CHIUSURA CARTER G3/8 TCN/38	CRANKCASE PLUG	1				
24	9.853-905.0	VITE STEI M8x8 UNI5923	GRUB SCREW M8x8	1				
25	9.853-903.0	CUSCINETTO RULLI CILINDRICI NJ1008	ROLLER BEARING NJ1008	1	•			